· General Inspection Report	MVC Page TOULING	
State of Illinois	LIINE DONNER HON	
Dept. & Div. TLL EPA MPEP Inspector Kausk	Montan Inspected 18/8	
Mine Name Fidelify * // Mine Company F	KECELAED (aruth	
IEPA M&M Permit No. IL 0000302 Permit No.	County FERRY	
General Location AppRox 5 MILES 5W	of Du Quein	
Arrival Time 10:10 Fm Weather Conditions 467, CLOU		
RECLAMATION TYPE (Check Appropriate Type) Mine Includes Prime Land Yes/ No Steep Slope Rule Applies Yes/ No Coal Preparation Yes/ No Not Applicable Reason for Visit	E. ROUTME	
PARAMETER CHECKLIST	<u> </u>	
1. Availability of: A permits B Plans		
2. Imminent Danger to Public Health and Safety	TEMPORARY REPORT	
3. Significant Imminent Environmental Harm	FINAL REPORT	
4. Signs and Markers: A. mine entrance B. perimeter C. blasti observance 1. 100' zone 2. 300' zone F. permit area correla H. not applicable	ng D. topsoil E. perimeter tion G. not investigated	
5. Disposal Spoil and Waste Material Outside Pit or Direct Cas 1. site capacity 2. covering 3. vegetation B. within permit D. slope of site E. steep slope rules F. valley fill or hea 1. permit area 2. location near ridge top 3. fill design 4. 5. steep slope rules 6. under drains 7. lateral drains 8. c 9. engineer inspection G. not investigated H. not applicable	area C. site approved d of hollow fills: fill construction controlled placement	
5. Soil Handling: A. removal before other disturbance B. storage C. protection D. thickness E. root medium F. other overburden G. toxic material handling H. root medium satisfactory for top soil replacement (slope, thickness, texture) I. topsoil replaced J. grading current K. rills and gullies L. erosion control systems M. timely revegetation and mulching N. not investigated O. not applicable		
7. Prime Land: A. prime land determination B. soil horizon redisturbance C. thickness removed D. approved horizon storag stockpiles F. horizon replacement and thickness G. protecti H. grade 1. not investigated J. not applicable	e E. protection of	
8. General Water Quality and Hydrology: waterways 1. unaffediverted affected area drainage ditches and berms 3. system 2. vegetation D. toxic material E. horizontal boreholes 2. structure 3. spillway 4. clean out 5. over 20' high or of yes/no) 6. seepage (1) structural weakness 8. dischart treatment system 9. (a). permitted yes/no (3) discharge zone (100') observance I. zone markers (100') NPDES permits required to the contract of the contrac	tem maintenance B. grading sediment ponds: 1. size ver 20 acre feet storage ge structure 9. chemical	

EPA Region 5 Records Ctr. 324315

- 9. Stream Channel or Other Water Diversion: temporary or permanent B. size adequacy C. stability D. gradient E. grade stability F. suspended solids G. sediment control H. channel design I. erosion control structures J. fish and wildlife protection K. vegetation L. removal of temporary structures M. structure removal procedures N. not investigated O. not applicable
- 10. Road Hydrology: A. culverts D. ditches C. location choice D. grade E. stream closeness F. ditch relief drains G. outslope drains H. construction material toxic/ non-toxic I. maintenance J. railroad spur hydrology K. vegetation L. not investigated M. not applicable
- Impoundment Structures: A. M.H.S.A. construction observance B. coal waste in structure C. freeboard D. stability E. seepage F. engineer inspection G. dam marker H. maintenance I. ditch and spillways J. changes in geometry of structure K. not investigated L. not applicable
- 12. Steep Slope Procedure: A. spoil on outslope B. debris C. highwall removal D. disturbance above highwall E. excess spoil F. instability of spoil and woody material G. not investigated (A.) not applicable
- Preparation Facility (includes crushing and screening): A. water circuit 1. open system 2. closed system 3. no water circuit B slurry impoundment berm stability a.) seepage b.) vegetative cover c.) freeboard 2. acid producing potential C. not investigated D. not applicable
 - 14. Domestic Wastewater Treatment Facilities: A. type of system 1. activated sludge package plant 2. lagoon sandfilters 3. septic tank w/sand filters 4. other B. sand filter maintenance 1. weeds 2. raking 3. sand replacement C. chlorination D. certified operator (E.) not investigated F. not applicable

LEGEND: O = parameter inspected:

Ø = comment or question on the parameter

NOTE: Items circled were considered during this investigation. If nothing under a major item was investigated, circle either "not investigated" or "not applicable". Violation means violation or apparent violation.

NO VIOLATIONS FOUND

SEE ATTACHMENT

Indicated Parameter

Comments or Action Taken

Check Column		
No.	Vio-	Non-Vio-
	lation	lation
6		
CHEN		1/
Comm		
5A		
5A 8F	ł	1
XF]	
07		
85	{	
91		
9#	-	
•	i	-{
	1	
	}	
	ļ.	
		1
	ı	i l

ATTACHMENT

Freeman United Coal Co. Fidelity #11 July 8, 1987

General Comments: During the investigation, I spoke with Glen Hamilton and Bill Smith, Reclamation Supervisor and Permit Manager, in regard to the seeding and mulching of the small affected areas, outside of the southernmost haul road, where surface runoff water is not tributary to a sedimentation pond. Mr. Hamilton said that the areas have been graded and ready to be seeded. Unfortunately, a lot of soil material has already left the permit boundaries through erosion and has settled out in the receiving drainageways. There isn't enough sediment to warrant removal, so I asked Mr. Hamilton to stabilize it the best he can by seeding and establishing a vegetative growth. Additionally, I requested that the exposed drainageways have straw bales stacked in them to slow down any surface runoff water. By incorporating the preventative measures mentioned above, the amount of soil loss should be minimized.

I observed the eastern portion of the site and it appears that most of it can be released from the NPDES permit. The exception being the final cut pit which has not been final graded in accordance with the approved abandonment plan. All of the surface runoff water from the eastern section of the site flows toward the west into drainageways that report to final cut impoundments that are tributary to outfall 002.

5A: Refuse disposal is occurring in the same valley for at least three and a half years now. The refuse appears to be adequately compacted and all surface runoff from the refuse pile reports to a final cut located just to the southwest.

8A: I observed the drainageways and it appears that all surface runoff water, from the majority of affected areas, is (exceptions noted under General Comments) tributary to a sedimentation pond prior to leaving the facility.

8F: This site has two NPDES authorized discharges which include 002 located along the northwest section of the site and 006 located along the southern portion of the site. Both outfalls were discharging during this investigation. Outfall 002 was discharging at greater than 500 gallons per minute and 006 was discharging at greater than 200 gallons per minute. All of the discharging waters appeared clear and no effluent samples were obtained.

8J: This site is permitted under NPDES permit IL0000302. Note: all DMR's have been submitted in accordance with permit conditions.

9A: The temporary water conveyances located on the southern section of the site, transport all surface runoff water and pit pumpage into pond #006.

Gary L. Minton

Environmental Protection Specialist

Hay & Minton

GLM:mk/0355M/07-14-87

cc: MPCP/FOS/Marion

IDMM